

(11) **EP 1 064 908 A1** 

(12)

### **EUROPEAN PATENT APPLICATION**

(43) Date of publication: 03.01.2001 Bulletin 2001/01

(51) Int Cl.7: A61K 7/00

(21) Application number: 00201176.5

(22) Date of filing: 31.03.2000

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

Designated Extension States: AL LT LV MK RO SI

(30) Priority: 02.07.1999 IT MI991464

(71) Applicant: INTERCOS ITALIA S.p.A. 20122 Milano (IT)

(72) Inventor: Avalle, Nadia 20124 Milano (IT)

(74) Representative: Mittler, Enrico c/o Mittler & C. s.r.l.,
Viale Lombardia, 20
20131 Milano (IT)

### (54) Solid cosmetic product in water-in-oil non-ionic emulsion

- (57) Solid cosmetic product in water-in-oil non-ionic emulsion, comprising:
  - e) from 0.5 to 20% of a non-ionic emulsifier or of a mixture of non-ionic emulsifiers of the carboxyl-alkyl-polyglycerols family:

where n= 1 to 50, R= H and/or  $C_{18}$  to  $C_{33}$ ; f) from 5 to 90% of a lipid phase with dropping point higher than 60°C;

g) from 1 to 80% of a water phase;

from 1 to 80% of a powder phase.

 ${\sf R-O-CH}_2\text{-CH(-OR)-CH}_2\text{-O-(-CH}_2\text{-CH(-OR)-CH}_2\text{-O-R)}_{\sf n}$ 

#### Description

[0001] The present invention concerns a solid cosmetic product in water-in-oil (W/O) non-ionic emulsion.

[0002] In the field of cosmetics emulsions represent a typology of presentation of the cosmetic product that allows to carry out both a protective as well as functional action in the topic treatment of the epidermis.

[0003] The realisation of an emulsion is fundamentally determined by the emulsifying system being used, that can avail of non-ionic, cationic, anionic and amphoteric type molecules.

[0004] Each emulsifier determines the optimal affinity between phases, delicacy and compatibility with the epidermis.

[0005] Specific object of the present invention is to obtain a solid cosmetic product in water-in-oil (W/O) emulsion with a high cosmetic delicacy, utilisable both for makeup as well as for the treatment of the skin.

[0006] According with the invention such object has been attained with a cosmetic product comprising:

a) from 0.5 to 20% of an non-ionic emulsifier or of a mixture of non-ionic emulsifiers of the carboxyl-alkyl-polyglycerols family:

where n= 1 to 50, R= H and/or  $C_{18}$  to  $C_{33}$ ;

- b) from 5 to 90% of a lipid phase with dropping point higher than 60°C;
- c) from 1 to 80% of a water phase;
- d) from 1 to 80% of a powder phase.

[0007] Qualifying is the use of the polyglycerols for their high efficiency in the maintenance of the micellar structure through time and during the manufacture process and for their high dermal compatibility.

[0008] The lipid phase can be made of natural and/ or synthetic liquid and waxy esters, liquid and waxy alcohols, silicone oils and waxes, polyalfaolefines with variable molecular weight, polyethylene waxes, microcrystalline waxes, and more.

[0009] The water phase can in turn consist of different wetting agents, as glycerine, butylenic glycol, hexylene glycol, from PEG 4 to PEG 100, sorbitol, manitol, saccharose, fructose, different electrolytes as NaCl, MgSO4, Na-lactate, KCl, and other more.

[0010] The powder phase can be semi-transparent or coloured with different covering power, made of different excipients powders, as talc, kaolin, mica, rice starch, modified starches, reticulated polymethyl-metacrylate, polyamides, tricalcic phosphate, silica, lauroyl lysine, barium sulphate, boron nitride, and of colour pigment of different nature as titanium dioxide, iron oxides, ultramarine blue, zinc oxide, D&C red 30, D&C red 7 Al Lake, D&C yellow 5 Al Lake.

[0011] Only as an example and without any limiting intention some formulations considered to be as suitable for specific cosmetic products are hereafter reported.

Example n. 1: Compact foundation cream		
Ingredients	%	
Trioctanoate trimethylpropane	5.00	
Iso hexadecane	6.50	
Squalene	2.00	
Hydrogenated vegetable oil	3.50	
Distearate polyglyceryl	6.00	
Vergin wax	2.00	
Candle wax	3.30	
Hydrogenated castor oil	2.00	
Pentacyclomethycon	4.60	
Caprylic/capric-glycerids	6.10	
Micro-crystalline wax	2.00	

15

20

25

45

50

## (continued)

Example n. 1: Compact foundation	cream
Ingredients	%
Soy sterol	0.50
Water	15.20
Glycerine	5.00
Butylen glycol	4.80
MgSO4	0.30
Na-lactate	0.80
Hydroxyl-ethyl-cellulose	0.20
Potassium sorbate	0.20
Xantam rubber	0.20
Titanium dioxide	8.50
Iron oxides	4.20
Ultramarine Blue	0.30
Zinc Oxide	2.00
Nylon-12	4.00
Polymethylmetacrylate	3.00
Rice starch	3.80
Silica	2.00
Mica	2.00
Total .	100.00

Example n. 2: Compact protective cream		
Ingredients	%	
Cetyl Octanoate	15.60	
Hydrogenated vegetable oil	10.10	
Rice wax	2.00	
Cholesteryl-hydroxyl-stearate	0.50	
Hydrogenated castor oil	3.20	
Soy sterol	0.30	
Pentacyclomethycon	16.59	
Distearate polyglyceryl	8.00	
Caprylic/capric glycerids	6.20	
Micro-crystalline wax	2.50	
Water	21.00	
Glycerine	6.00	
Sorbitol	3.50	
Mannitol	2.00	

## (continued)

Example n. 2: Compact protective	cream
Ingredients	%
Xantam rubber	0.20
Potassium sorbate	0.30
MgSO4	0.40
Na-lactate	0.60
Na jaluronate	0.01
Alfa-Bisabol	0.20
Matricaria extract	0.80
Total	100.00

Example n. 3: Stick foundation cr	eam
Ingredients	%
Cetyl iso nonanoate	4.85
Cetyl octanoate	10.50
Squalene	3.70
Pentacyclomethycon	4.10
Iso hexadodecanoate	3.90
Hydrogenated vegetable oil	2.05
Rice wax	3.00
Candle wax	2.80
Distearate polyglyceryl	6.00
Soy sterol	0.30
Caprylic/capric glycerids	4.00
Ceresine	2.10
Hydrogenated castor oil	2.00
Micro-crystalline wax	3.60
Water	14.10
Glycerine	6.00
Butylen glycol	2.00
MgSO4	0.40
Sorbitol	1.00
Potassium sorbate	0.20
Hydroxyl-ethyl-cellulosa	0.20
Xantam rubber	0.20
Titanium dioxide	8.50
Iron oxides	3.00
Ultramarine blue	0.50

#### (continued)

Example n. 3: Stick foundation	n cream
Ingredients	%
Zinc oxide	1.00
Borum nitride	1.00
Lauroyl lysine	1.50
Rice starch	3.00
Silica	2.50
Talc	2.00
Total	100.00

#### **Claims**

5

10

15

25

30

35

40

 $\begin{tabular}{ll} \textbf{1.} & \textbf{Solid cosmetic product in water-in-oil non-ionic emulsion, comprising:} \\ \end{tabular}$ 

a) from 0.5 to 20% of a non-ionic emulsifier or of a mixture of non-ionic emulsifiers of the carboxyl-alkyl-polyglycerols family:

R-O-CH<sub>2</sub>-CH(-OR)-CH<sub>2</sub>-O-(-CH<sub>2</sub>-CH(-OR)-CH<sub>2</sub>-O-R)<sub>n</sub>

where n= 1 to 50, R= H and/or  $C_{18}$  to  $C_{33}$ ;

- b) from 5 to 90% of a lipid phase with dropping point higher than 60°C;
- c) from 1 to 80% of a water phase;
- d) from 1 to 80% of a powder phase.
- 2. Solid cosmetic product according to claim 1, in which the lipid phase comprises components selected among liquid and waxy esters, natural and/ or synthetic, liquid and waxy alcohols, silicone oils and waxes, polyalfaolefines with variable molecular weight, polyethylene waxes, microcrystalline waxes.
- 3. Solid cosmetic product according to claim 1, in which the water phase comprises wetting agents and electrolytes.
- 4. Solid cosmetic product according to claim 3, in which the wetting agents are selected among glycerine, butylenic glycol, hexylene glycol, from PEG 4 to PEG 100, sorbitol, manitol, saccharose, fructose.
- 5. Solid cosmetic product according to claim 3, in which the electrolytes are selected among NaCl, MgSO4, Nalactate, KCl.
- 6. Solid cosmetic product according to claim 1, in which the powder phase comprises excipient and pigment powder.
  - 7. Solid cosmetic product according to claim 6, in which the excipient powders are selected among talc, kaolin, mica, rice starch, modified starches, reticulated polymethylmetacrylate, polyamides, tricalcic phosphate, silica, lauroyl lysine, barium sulphate, boron nitride.
- Solid cosmetic product according to claim 6, in which the pigment are selected among titanium dioxide, iron oxides, ultramarine blue, zinc oxide, D&C red 30, D&C red 7 Al Lake, D&C yellow 5 Al Lake.



# **EUROPEAN SEARCH REPORT**

Application Number

	DOCUMENTS CONSID	ERED TO BE RELEVANT		
Category	Citation of document with it of relevant pass	ndication, where appropriate, ages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
X	EP 0 850 639 A (BEI 1 July 1998 (1998-0 * page 5, line 43 * * page 6, line 19 - * page 7, line 37 - * page 13, line 54 * claims *	7-01) · · line 32 * · line 51 *	1,2,4,6,	A61K7/00
X	DATABASE CHEMABS [CHEMICAL ABSTRACTS OHIO, US; abstract no. 113339 SHIRAKAWA, NORIKO EXPO02148792 * abstract * & JP 03 252516 A (KIN 11 November 1991 (1	SERVICE, COLUMBUS, , vol. 116, TT AL.:	1-8	
X	DATABASE CHEMABS [CHEMICAL ABSTRACTS OHIO, US; abstract no. 349845 INATA, JUNICHI ET AXP002148793 * abstract * & JP 07 187947 A (N 25 July 1995 (1995-	SERVICĒ, COLUMBUS, , vol 123 , L.: HISSHIN OIL MILLS LTD)	1,2,6,8	TECHNICAL FIELDS SEARCHED (Int.Cl.7) A61K
<b>X</b>	WO 98 17232 A (BEIE 30 April 1998 (1998 * page 6, last para * page 7 * * page 12, paragrap * page 15, paragrap * claims *	3-04-30) graph * wh 3 - paragraph 5 *	1,2,4,8	
	The present search report has	been drawn up for all claims		
-	Place of search	Date of completion of the search		Examiner
	BERLIN	2 October 2000	Pel	li Wablat, B
X : part Y : part docu A : tech O : non	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone icularly relevant if combined with another to the same category inclogical background written disclosure remediate document	E : earlier patent o after the filing o her D : document cite L : document cite	d in the application d for other reasons	hed on, or

EPO FORM 1503 03.82 (P04C01)



## **EUROPEAN SEARCH REPORT**

Application Number EP 00 20 1176

Category	Citation of document with ind of relevant passag		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
X		IHAN JOSEPH C ET AL)	1-4	· ·
Α	GB 2 060 665 A (OREA 7 May 1981 (1981-05- * page 4; example A2 * page 9; example A8 * claims *	07) : *	1-8	
A	FR 2 593 509 A (OREA 31 July 1987 (1987-0 * claims *	LL) 17-31)	1	
X E	WO 99 25310 A (FUJI 27 May 1999 (1999-05 -& EP 1 029 528 A 23 August 2000 (200 * the whole document	i-27) i0-08-23)	1-5	
	The present search report has be	en drawn up for all claims		
	Place of search BERLIN	Date of completion of the search 2 October 2000	Del	Examiner li Wablat, B
X : part Y : part door A : tech O : non	ATEGORY OF CITED DOCUMENTS ioularly relevant if taken alone ioularly relevant if combined with anothe ument of the same category inological background -written disolosure rmediate document	T : theory or principl E : earlier patent do after the filing dat or D : document cited i L : document cited i	e underlying the is cument, but publis te n the application or other reasons	nvention shed an, ar

EPO FORM 1503 03.82 (P04C01)

P : intermediate document

& : member of the same patent family, correspondin document

#### ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 00 20 1176

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

02-10-2000

JP 6	0850639	Patent document cited in search report			Patent family member(s)		Publication date
JP 6		Α	01-07-1998	DE	19645317	A	07-05-19
	93252516	A	11-11-1991	NONE			
	97187947	A	25-07-1995	NONE	=		
	9817232	A	30-04-1998	DE EP	19643237 0932386		23-04-19 04-08-19
US 4	704271	A	03-11-1987	NONE			
GB 2	2060665	A	07-05-1981	FR BE CA CH DE IT JP JP US US	2467838 885720 1167070 646129 3039008 1129314 1627642 2050889 56063936 4399313 5071640 4465860	A A A B C B A A A	30-04-194 15-04-194 08-05-194 15-11-194 14-05-194 04-06-194 28-11-199 05-11-199 30-05-194 16-08-194 14-08-198
FR 2	2593509	Α .	31-07-1987	LU BE CH DE GB 1T US US	86268 1001091 671012 3702178 2185746 1217121 4788345 4946670	A A A,B B A	20-01-198 11-07-198 31-07-198 30-07-198 29-07-198 14-03-199 29-11-198
WO 9	925310	Α	27-05-1999	EP	1029528		23-08-200